

*Common Psychological Disorders in Young Children: A Handbook for Early Childhood Professionals*

by Jenna Bilmes and Tara Welker

A

abuse  
attachment disturbances and, 67, 68  
regulatory disorders and, 78, 81, 83  
sleeping, eating, and elimination disorders and, 136, 145  
accomplishments, journal of, 46, 102  
active listening, 36–37, 153  
adaptations by children and families, 27–28  
ADHD (attention-deficit/hyperactivity disorder), 116–120, 124–126  
aggressive behavior  
anxiety disorders and, 88, 92  
attachment disturbances and, 69  
attention-deficit and disruptive-behavior disorders and, 116, 121, 122–123, 126  
healthy development and, 65  
mood disorders and, 104, 105, 110  
regulatory disorders and, 75, 77, 79, 83  
alcoholism, 11, 111  
American Psychiatric Association, 20  
anger control, 54  
anorexia, infantile, 141  
anxiety, 39, 87, 145  
anxiety disorders  
overview, 87–89  
generalized anxiety disorder (GAD), 99–102  
separation anxiety disorder (SAD), 94–99  
Asperger's disorder, 128, 132–134  
asthma, and sleeping disorders, 137  
asthma medications, side effects of, 99  
attachment disturbances, 66–69  
attachments  
activities to promote development of, 70  
attention-deficit and disruptive-behavior disorders and, 124–126  
caregiver influences on children and, 62–63  
importance of, 61  
stages of, 64–65  
attention-deficit and disruptive-behavior disorders  
overview, 115–116  
attention-deficit/hyperactivity disorder (ADHD), 116–120, 124–126  
conduct disorder, 116, 122–126  
oppositional defiant disorder (ODD), 116, 120–122, 124–126  
attention-deficit/hyperactivity disorder (ADHD), 116–120, 124–126  
attention span, 12  
autism, 89, 127–132, 142

B

bedwetting. *See* wetting problems (enuresis)  
behavior  
developmental factors and, 26, 28  
externalizing, management of, 38–41  
factors in, 10  
focus on, vs. diagnosis, 24  
inappropriate, 44–45  
internalizing, management of, 45–47  
positive expectations and, 40–41  
regulation of, 37  
repetitive, 75, 129  
and settings, differences in, 27–28  
tendencies, attention to, 23  
behavior problems  
anxiety disorders and, 92, 100  
attention-deficit and disruptive-behavior disorders and, 117, 120, 122–123, 126  
childhood-onset schizophrenia and, 150, 151  
mood disorders and, 110–111  
regulatory disorders and, 75, 77, 83  
bereavement, prolonged, 104, 107–109  
bipolar disorder, 23, 104, 109–113  
bond building, 35–37  
brain development, 63  
brainstorming, 101–102  
breathing-related sleep disorder, 137

C

caregiver-child relationship, 13–15, 17, 28  
caregivers  
and anger control, 54  
influences on children, 62–63  
and mistakes, 65  
observations by, 25  
as partners, 49  
provider relationship with, 50–54  
and psychological disorders (*see specific disorders*)  
causes of disorders. *See specific disorders*  
child care settings, 17. *See also* strategies for classroom and child care settings  
child disintegrative disorder, 127  
childhood-onset schizophrenia, 149–153  
choices, and intrinsic motivation, 43–44  
chronic stress, 121, 123  
cognitive development, 61–62, 128, 129  
colic, 74  
communication  
with caregivers, 50, 52–54  
pervasive developmental disorders and, 131, 132, 139  
styles of, 50–51  
*See also* language

*Common Psychological Disorders in Young Children: A Handbook for Early Childhood Professionals*

by Jenna Bilmes and Tara Welker

- compulsions, defined, 88
- conduct disorder, 116, 122–126
- conflict resolution, 42–45
- confrontations, minimizing, 40–41
- consistency, as general strategy, 40–41
- constipation, 145
- co-regulation, 74
- cultural differences, 16–17, 26–27, 35, 50, 51
- culture, in healthy development, 15–17
  
- D
- daily rhythm, development of, 12
- DC:0-3R (*Diagnostic Classification of Mental Health and Developmental Disorders of Infancy and Early Childhood*), 20, 60
- death, mood disorders and, 107, 108
- delusions, 150, 151, 153
- depression
  - anxiety disorders and, 100
  - heredity and, 11
  - internalizing behaviors and, 45–46
  - as mood disorder, 103–107
  - posttraumatic stress disorder (PTSD) and, 92
- development
  - brain, 63
  - continuum of, 154–159
  - healthy, 13–17
  - stages of, 64–65
  - timelines for, 54
  - See also specific types of development*
- developmental disabilities, and behavior, 28
- developmental factors, 25
- developmental qualities, 12–13
- diagnosis of disorders
  - overview, 19–21
  - challenges and strategies related to, 22–29
  - factors in, 11
  - See also specific disorders*
- Diagnostic and Statistical Manual of Mental Disorders (DSM-IV-TR)*, 20, 25, 60
- Diagnostic Classification of Mental Health and Developmental Disorders of Infancy and Early Childhood (DC:0-3R)*, 20, 60
- diagnostic criteria, limitations of, 23–24
- diagnostic labels, challenges of, 24
- disorders, 4–5. *See also specific disorders*
- disorganized speech, 150, 151–152
- disruptive-behavior disorders. *See* attention-deficit and disruptive-behavior disorders
- dissociation, anxiety disorders and, 91
- domestic violence, anxiety disorders and, 90
- DSM-IV-TR (*Diagnostic and Statistical Manual of Mental Disorders*), 20, 25, 60
  
- E
- eating disorders, 135, 136, 140–144
- elimination disorders, 135, 136, 144–147
- emotional qualities, 11–12
- emotional regulation, 37
- emotional/social developmental continuum, 154–159
- emotional/social screening tools for young children, 160–161
- emotions, expression of
  - childhood-onset schizophrenia and, 153
  - healthy development and, 64–65
  - mood disorders and, 106
- energy levels, 12, 110
- environment
  - anxiety disorders and, 100
  - attention-deficit and disruptive-behavior disorders and, 119
  - childhood-onset schizophrenia and, 152
  - as factor in mental health development, 17–18
  - mood disorders and, 105, 111
- excitability, 75, 109
- expectations, and behavior, 40–41
- expressive language, 28
- externalizing behaviors, 38–41
- extrinsic motivation, 43
  
- F
- failure to thrive (FTT), 142
- families, as partners, 49. *See also* caregivers
- Fassler, David, 33
- fear, 47, 92
- feedback, and intrinsic motivation, 44
- feeding disorders, 140–142, 143
- flashbacks, anxiety disorders and, 91
- "Floor Time," 130
- focused attachment, 64
- forgetfulness, 117, 118
- friendship skills, 41
- FTT (failure to thrive), 142
  
- G
- generalized anxiety disorder (GAD), 88, 99–102
- goodness of fit, in caregiver-child relationship, 13–14
- "go to" provider, 69, 98, 101
- grieving process, mood disorders and, 107
- guilt, mood disorders and, 105
  
- H
- hallucinations, 150, 151
- heredity
  - overview, 11
  - anxiety disorders and, 100

*Common Psychological Disorders in Young Children: A Handbook for Early Childhood Professionals*

by Jenna Bilmes and Tara Welker

- heredity (*continued*)  
attention-deficit and disruptive-behavior disorders  
and, 119, 121, 123  
childhood-onset schizophrenia and, 152  
mood disorders and, 105, 111  
regulatory disorders and, 77–78, 81, 83  
high-context communication style, 50–51  
hygiene, personal, 151  
hyperactivity, 82, 117, 118  
hypersensitive regulatory disorder, 75, 77–80  
hypervigilance, 92  
hyposensitive/underresponsive regulatory disorder, 75,  
80–82
- I  
"I Can" journal, 46  
*I Love You Rituals* (Bailey), 70  
impulsivity, 75, 117, 118  
inattention, 118  
inborn characteristics, 11–13  
individualized intervention, 24  
individualized plans, 34  
infantile anorexia, 141  
institutionalization, regulatory disorders and, 78, 81, 83  
internalizing behaviors, 45–47  
interventions, 24, 36–37. *See also specific disorders*  
intrinsic motivation, 43–44  
irritability, 105, 109, 110
- J  
journal of accomplishments, 46, 102
- L  
language  
disorganized speech, 150, 151–152  
healthy development and, 64–65  
limitations in, 25, 28  
"strive up," 44  
low-context communication style, 50–51
- M  
medications  
overview, 47–48  
for anxiety disorders, 93  
for attachment disturbances, 69  
for attention-deficit and disruptive-behavior disorders,  
119  
for childhood-onset schizophrenia, 152  
common, for psychological disorders in children,  
162–165  
for pediatric bipolar disorder, 111  
steroids, side effects of, 99  
meltdowns, 112–113, 126  
mental health, 4, 9–18, 22  
mental illness, 3–5, 22  
mental retardation, and eating disorders, 142  
mood disorders  
depression, 103–107  
pediatric bipolar disorder, 104, 109–113  
prolonged bereavement, 104, 107–109  
motivation, 43–44  
motor skills, 77, 150
- N  
neglect  
attachment disturbances and, 67, 68  
regulatory disorders and, 78, 81, 83  
nightmare disorder, 137, 138, 139  
nightmares  
anxiety disorders and, 91, 95  
mood disorders and, 110  
night terror disorder, 138  
night-waking disorder, 138, 139
- O  
observations  
by caregivers, 25  
documentation of, 31  
schedule for, 30  
sharing, with caregivers, 51–52  
of symptoms, 29–30  
obsessions, defined, 88  
obsessive-compulsive disorder (OCD), 88–89  
ODD (oppositional defiant disorder), 116, 120–122,  
124–126  
one-on-one time, 107, 134  
online resources, 166–170  
oppositional defiant disorder (ODD), 116, 120–122,  
124–126  
overstimulation, reduction of, 38
- P  
parallel process, 49  
partnerships, 33  
PDD-NOS (pervasive developmental disorders not  
otherwise specified), 127, 128  
pediatric bipolar disorder, 23, 104, 109–113  
personal hygiene, 151  
pervasive developmental disorders  
Asperger's disorder, 128, 132–134  
autism, 127–132  
not otherwise specified (PDD-NOS), 127, 128  
phobias, defined, 89  
photographs, and intrinsic motivation, 44  
physical contact, regulatory disorders and, 83  
physical development, regulatory disorders and, 77  
physical distress, anxiety disorders and, 91  
physical restraint, 69, 126  
pica, 140, 142, 143  
plans, individualized, 34  
play, 35–36, 64–65  
positive reflective feedback, 44

*Common Psychological Disorders in Young Children: A Handbook for Early Childhood Professionals*

by Jenna Bilmes and Tara Welker

posttraumatic stress disorder (PTSD), 17, 88, 89–94  
predictability, and anxiety reduction, 39–40  
pregnancy/childbirth complications, 77–78, 81, 83  
print resources, 171–173  
problem-solving skills, anxiety disorders and, 102  
professional assistance, 53–54  
prolonged bereavement, 104, 107–109  
provider-caregiver connections, 50–54  
provider's role, 21, 34  
PTSD (posttraumatic stress disorder), 17, 88, 89–94

R

RAD (reactive attachment disorder), 66–69  
reactions, intensity of, 12  
reactive attachment disorder (RAD), 66–69  
receptive language, 28  
regulatory disorders  
    overview, 74  
    hypersensitive, 75, 77–80  
    hyposensitive/underresponsive, 75, 80–82  
    sensory processing and, 76  
    sensory stimulation-seeking/impulsive, 75, 82–85  
relational trauma, anxiety disorders and, 90  
Relationship Development Intervention (RDI), 130  
relationships  
    caregiver-child, 13–15, 17, 28  
    caregiver influences on child's, 62  
    provider-caregiver, 50–54  
relaxation techniques, 101  
repetitive behaviors, 75, 129  
resources  
    online, 166–170  
    print, 171–173  
    professional assistance, 53–54  
restlessness, mood disorders and, 105  
Rett syndrome, 127  
role-playing, 124  
routines  
    overview, 39–40  
    anxiety disorders and, 100–101  
    mood disorders and, 112  
    pervasive developmental disorders and, 133  
    regulatory disorders and, 74  
rules, 40–41  
rumination disorder, 140, 142, 143

S

sadness, mood disorders and, 105  
SAD (separation anxiety disorder), 88, 94–99  
screening tools, 20, 160–161  
secure base phenomenon, 64–65  
seizure disorders, 129  
self-consciousness, 65  
self-efficacy, caregiver influences on, 62  
self-esteem, caregiver influences on, 62  
self-image, 14, 38, 43

self-regulation, 14–15, 63, 73–74, 126  
self-soothing, 65, 80, 85  
sensitivity, 12  
sensory diet, 78, 80, 81, 83  
sensory difficulties, 76, 129, 133, 134  
sensory food aversions, 141, 143  
sensory processing, defined, 76  
sensory stimulation-seeking/impulsive regularity disorder, 75, 82–85  
separation anxiety, 64–65, 87  
separation anxiety disorder (SAD), 88, 94–99  
skills, basic, 29–30  
sleep apnea, 137  
sleeping disorders, 135, 136, 137–140  
sleep-onset disorder, 138, 139  
sleep problems, 91–92, 95, 110  
sleep terror disorder, 137, 138  
sleepwalking disorder, 137, 138  
sociability, indiscriminate, 68  
social area monitoring, 39  
social development, stages of, 64–65  
social/emotional developmental continuum, 13, 154–159  
social/emotional screening tools, 160–161  
social interactions  
    attachment disturbances and, 67–68  
    attention-deficit and disruptive-behavior disorders and, 121, 125–126  
    childhood-onset schizophrenia and, 150, 153  
    pervasive developmental disorders and, 128, 129, 131, 132, 133–134  
    skill development, 39, 133–134  
soiling problems (encopresis), 144–145, 146  
soothing, self-, 65, 80, 85  
soothing activities, anxiety disorders and, 94  
speech, disorganized, 150, 151–152  
startle response, anxiety disorders and, 92  
steroids, side effects of, 99  
stranger anxiety, 27, 64–65, 87  
strategies for classroom and child care settings  
    general, for providers, 34–38, 40–41  
    for Asperger's disorder, 133–134  
    for attachment disturbances, 69–71  
    for attention-deficit/hyperactivity disorder (ADHD), 119–120, 124–126  
    for autism, 130–132  
    for conduct disorder, 124–126  
    for depression, 106–107  
    for eating disorders, 143–144  
    for elimination disorders, 146–147  
    for externalizing behavior management, 38–41  
    for generalized anxiety disorder (GAD), 100–102  
    for hypersensitive regulatory disorder, 78–80  
    for hyposensitive/underresponsive regulatory disorder, 82  
    for internalizing behavior management, 45–47

- strategies for classroom and childcare settings
  - (*continued*)
  - for oppositional defiant disorder (ODD), 122, 124–126
  - for pediatric bipolar disorder, 112–113
  - for posttraumatic stress disorder, 93–94
  - for prolonged bereavement, 108–109
  - for reactive attachment disorder (RAD), 69–71
  - for schizophrenia, 152–153
  - for sensory stimulation-seeking/impulsive regularity disorder, 84–85
  - for separation anxiety disorder (SAD), 97–99
  - for sleep disorders, 139–140
- stress, and brain development, 5, 17
- stress, chronic, 121, 123
- "strive up" language, and intrinsic motivation, 44
- substance abuse, 111, 121, 123
- symptoms, observation and recognition of, 29–31. *See also specific disorders*
- T
- task incompleteness, 118
- team effort, 33
- terrible twos, 103
- therapy. *See specific disorders*
- tips for families, 55
- transitions
  - anxiety disorders and, 97–98, 101
  - attachment disorders and, 69
  - attention-deficit and disruptive-behavior disorders and, 125
  - in individualized plans, 34
  - mood disorders and, 112
  - observation of, 30, 39
  - pervasive development disorders and, 131
  - regulatory disorders and, 79–80
  - role-playing, 124
- trauma
  - anxiety disorders and, 90–91
  - attention-deficit and disruptive-behavior disorders and, 119
  - childhood-onset schizophrenia and, 152
  - mood disorders and, 111
  - treatment, lack of, 33
  - treatment for disorders. *See specific disorders*
  - trigger events, 39, 79, 112
- U
- unresponsiveness, regulatory disorders and, 75
- V
- violence, in child's environment, 17–18, 90
- W
- weight gain or loss, 105
- wetting problems (enuresis), 110, 144, 145, 146
- withdrawal, 91, 150, 151
- word salad, 152
- world view, caregiver influences on, 62
- Z
- Zero to Three, 20