

INDEX

A

Abuse, as risk factor, 40, 48–49
Acceptance, as stage of grief, 88–89
Accidental deaths, 22
Active listening do's and don'ts, 67–68
Active listening skills, 63–71, 80
Activities, sudden changes in, 34
Adults, going to, for help, 3–4, 53–54, 76–77, 82
African-American teens, suicide rate of, 40
After a Suicide (Kuklin), 109
Age range for suicide, 22
Aggression, 36
Aimee (Miller), 109
Alcohol abuse, 37, 39, 42–43
Alcoholism in family, 42
American Association of Suicidology, 107–108
Anger, 36, 87
Anorexia, 36
Appearance, 34
Arena, Jillayne, 110
At-risk teens, 13–14, 49–50
Attempted suicide, defined, 5
 see also suicide, attempted
Attention-getting behavior, 25
Author contact information, 6

B

Balance of balloons and weights, 16–17, 89–90, 92
Bargaining, as stage of grief, 88
Basic needs of people, 13–14
Behavior
 basic principles of, 13
 feelings and, 17–18
 to get attention, 25
 purpose of, 18–19
 self-destructive, 36–37
 sudden changes in, 33–34
Belonging, the need for, 14
Belongings, giving away, 35
Blackmailers, 83–84
Books that can help, 96–97, 109–110
Bruises, as sign of abuse, 48
Bulimia, 37

C

Carlson, Richard, 96
Changes in behavior, sudden, 33–34
Checklist for stress, 95
Checkup questions, 96
Chronically suicidal persons, 83
Community groups, and suicide prevention, 99–106
Completed suicide, defined, 5
Constricted thinking, 59–60
Copans, Stuart, 97
Copeland, Mary Ellen, 97
Coping with Teen Suicide (Murphy), 109
Covenant House Nineline, 108
Crisis assistance, 107–110
Crisis checklist, 95
Crisis Checklist (handout), 95
Crisis hotlines, 103, 107–108
Cuts, as sign of abuse, 48

D

Danger of suicide
 assessment of, 56–59
 periods of, 27–28, 45, 56
 physical cues, 67
Death
 ambivalence about, among suicidal teens, 58–59
 of family member, 27, 34
 guns, and suicide, 57–58
 leading causes of, among young people, 22, 43
 suicide of family member, 23, 39, 45
Definition of terms, 4–5
Denial, as stage of grief, 85–86
Depression
 alcohol or drug abuse and, 42
 learning disabilities and, 46
 as risk factor, 39, 41
 as stage of grief, 86–87
 stress and, 93
Disobedience, 36
Don't Sweat the Small Stuff for Teens (Carlson), 96

- Do's and don'ts
 in active listening, 67–68, 71
 to help a friend get help, 79
 to help a friend through a suicidal crisis, 80
 questions to ask someone who is troubled,
 54–56
 to reach out to a troubled friend, 61
 simple things you can say, 70
- Drug abuse, 39, 42–43
 Drug Abuse Resistance Education (DARE), 100
- E
- Eating behavior, 33
 Educating others, step-by-step action plan, 101–
 106
 Emergency telephone hotlines, 107–108
 Emotional abuse, 40, 48–49
 Empathy, in active listening, 64–65
 Environment, 14–17, 69
 Espejo, Roman, 110
 Espeland, Pamela, 97
- F
- Facts about suicide, 22–30
 Failure, 45–46
 Family
 addiction in, 42
 death in, 27, 34
 suicide in, 23, 39, 45
- Feelings
 about life's problems, 16–17
 behavior and, 17–18
 of grief, 85–89
 positive words and, 68–70
 self-checks, 90, 96
 translation of words into, 66–67
- Food, 33
 Friendship
 being a good listener, 63–64
 do's and don'ts, 61, 79, 80
 going with a friend for help, 77
 loss of a friend to suicide, 85–89
 messages to a friend who is troubled, 55
 as need of suicidal teen, 49–50, 52
 questions you can ask, 54–56
 simple things you can say, 70
 suicide attempts and, 84–85
 suicide prevention and, 28–29
 talking about suicide, 53–54
 things to think about and do, 71
- Funeral planning, as warning sign, 35–36
- G
- Gay teens, 39, 40, 43–44
 Giftedness, 40, 45–46
 Gift-giving, as warning sign, 35
 Girls and Boys Town National Hotline, 108
 Gootman, Marilyn E., 97, 110
 Grief, stages of, 85–89
 Guns, 57–58
- H
- Help
 books, 96–97, 109–110
 emergency telephone hotlines, 107–108
 for helpers, 82–85, 93–94
 High-risk teens, 13–14, 39–40, 49–50
 Home life. *see* family
 Homosexuality, 39, 40, 43–44
 Hotline help, 107–108
How Could You Do It, Diana? (Pevsner), 109
How to Help a Friend Through a Suicidal Crisis
 (handout), 80
 "H"s, three, 17
 Human behavior, principles of, 13–14
- I
- Important Information* (form), 7
 Incest survivors, 37
 "I"s, three, 16–17
- J
- Jamison, Kay Redfield, 109
- K
- Kid's Guide to Social Action* (Lewis), 105
 Kübler-Ross, Elisabeth, 85
 Kuklin, Susan, 109
- L
- Learning differences, 40, 46
 Learning disabilities (LD). *see* learning
 differences
 Lesbian teens, 39, 40, 43–44
 Lewis, Barbara A., 105
Life Strategies for Teens (McGraw), 96
 Listening skills, 63–71, 80
 Loose ends, tying up, 35–36
 Loss, as risk factor
 of family member, 23, 27, 34, 39, 45
 of girlfriend or boyfriend, 18, 26, 34
 of pet, 26–27
 of physical ability, 34–35
 of self-esteem, 37–38

Loss, of friend to suicide, 85–89
Love, the need for, 13–14

M

Making the Most of Today (Espeland and Wallner), 97
Manic depression, 24
Marcus, Eric, 110
McGraw, Jay, 96
Media contact, and suicide prevention, 103
Mental illness, 24–25
Miller, Mary Beth, 109
Mood swings, 41
Motor vehicle crashes, 43
Murphy, James M., 109

N

Natural Helpers, 78
Needs of teens at risk, 13–14, 49–50, 52
Negativity, 68–70
Night Falls Fast (Jamison), 109

P

Parents
 addiction in, 42
 going to, for help, 75–76
 and suicidal teens, 75
 and suicide prevention, 100
 talking about suicide with, 3–4, 53–54
Peer helpers, 78
Peer pressure, 91
Perfectionism, 45–46
Pevsner, Stella, 109
Physical abuse, 40, 48–49
Physical cues, as warning signs, 67
Physical disability, as loss, 35
Plans for suicide, 35–36, 56–59
Positive words and feelings, 68–70
Possessions, giving away, 35
Pregnancy, 19, 28–29, 40, 46–47
Prevent Suicide Now crisis line, 108
Problems at home, 75
Problems linked to suicide, 19–20
Problem-solving, six steps for, 91–92
Problem-solving by suicidal teens, 11–12

R

Reading between the lines, 66–67
Readings and references, 96–97, 109–110
Rebellion, 36
Recklessness, 36

Recovering From Depression (Copeland and Copans), 97

Research on suicide, 1–3, 22, 40
Resources, 96–97, 107–110
Revenge seekers, and threats of suicide, 84
Risk factors for suicide
 abuse, 40, 48–49
 alcohol abuse, 37, 39, 42–43
 anorexia, 36
 bulimia, 37
 depression, 39, 41
 drug abuse, 39, 42–43
 failure, 45–46
 giftedness, 40, 45–46
 homosexuality, 39, 40, 43–44
 learning differences, 40, 46
 loss, 18
 perfectionism, 45–46
 pregnancy, 40, 46–47
 previous attempts, 39, 45
 problems at home, 75
 suicide of family member, 23, 39, 45
 see also loss, as risk factor

S

Schizophrenia, 24
School performance, 34
Schools, and suicide prevention, 99–106
Secrets, keeping vs. telling, 73–74
Self-checks, 90, 96
Self-concept, 14–17, 37–38, 46, 48
Self-destructive behavior, 36–37
Self-esteem, 14–17, 37–38, 46, 48
Serotonin, 24
Sexual abuse, 40, 48–49
Sexual orientation, 39, 40, 43–44
Shneidman, Edwin S., 110
Shyness, and emotional abuse, 48
Sleep patterns, 33
Step Back from the Exit (Arena), 110
Stress
 checklist for, 95
 effect on high-risk teens, 49–50
 formula, 14–17, 69
 learning differences and, 46
 sexual orientation and, 39, 40, 43–44
 strategies for easing, 93–94
 symptoms of, 92–93
Students Against Destructive Decisions (SADD), 100
Sudden changes in behavior, 33–34
Suggestibility factor, 23–24

- Suicidal behavior, defined, 5
- Suicidal crises
 causes of, 19–20, 26–27
 defined, 5
 friendship during, 77–78, 80
 length of, 23
 talking about, 82
- Suicidal Mind, The* (Shneidman), 110
- Suicidal teens
 ambivalence about death, 58–59
 constricted thinking of, 59–60
 high-risk to at-risk, 49–50
 needs of, 13–14, 52
 parents and, 75
 problems of, 26
 problem solving by, 11–12
 suicide plans of, 57–59
- Suicidal thoughts, 22, 59–60, 93
- Suicide
 facts about, 22–30
 fear of topic, 9, 23
 learning about, 101–102
 plans for, 35–36, 57–59
 preventability of, 23
 protecting yourself against, 89–93
 questions about, 5–6, 11–13
 research on, 1–3, 22, 40
 threats of, 25, 32–33, 83–85
- Suicide, attempted
 defined, 5
 help for helpers, 82–83
 purpose of, 19
 rates of, 1, 22
 as risk factor for suicide, 27–28, 39, 45
 situations linked to, 19–20
 teens and, 59–60
 thoughts of survivors, 12
- Suicide, completed
 causes of, 26–27
 effects on others, 81–82
 rates of, 2–3, 22, 40
 situations linked to, 19–20
 as solution to problems, 11–12
- Suicide: Opposing Viewpoints* (Espejo), 110
- Suicide prevention action plan, 99–106
- Suicide Warning Signs* (card), 106
- Survivors of suicide, 85–89
- Symptoms of stress, 92–93
- T
- Talking about suicide
 to adults, 82
 benefits of, 56
 fear of, 23, 103
 to friends vs. adults, 53–54
 as prevention, 1–4
 threats of suicide, 83–85
 as warning sign, 25, 32–33
see also do's and don'ts
- Teenagers, and suicide prevention, 100
- Teens at risk of suicide. *see* suicidal teens
- Telephone hotlines, 107–108
- Things to think about and do
 in active listening, 67–68, 71
 to help a friend get help, 79
 to help a friend through a suicidal crisis, 80
 questions to ask someone who is troubled, 54–56
 to reach out to a troubled friend, 61
 simple things you can say, 70
- Threats of suicide, 25, 32–33, 83–85
- Timidity, 48
- Treasures, giving away, 35
- Tying up loose ends, 35–36
- V
- Verbal warnings, 33
- W
- Wallner, Rosemary, 97
- Warning signs of suicide, 106
 facts about, 22
 giving away possessions, 35
 loss of self-esteem, 37
 physical cues, 67
 self-destructive behavior, 36–37
 sudden changes in behavior, 33–34
 summary of, 38
 talking about suicide, 25, 32–33
 tying up loose ends, 35–36
 withdrawal, 34
see also loss, as risk factor
- Web sites for crisis assistance, 107–108
- Weights and balloons, balance in, 16–17, 89–90, 92
- When a Friend Dies* (Gootman), 97, 110
- Why Suicide* (Marcus), 110
- Withdrawal, 34
- Word detecting, 65–67